



SMART Digital S

DDE

≤ 15 l/h

Installation and
operating instructions DDE




net.grundfos.com/qr/i/95725839

be
think
innovate

GRUNDFOS 



Min./Max.
-10 °C / +45 °C
14 °F / 113 °F



Min./Max.
0 °C / +45 °C
32 °F / 113 °F






≤ 60 dB(A)



IP 65
(Nema 4x)







p [bar]
(psi)

10
(150)

DDE 6-10

4
(60)

DDE 15-4

0

6

(1.5)

15

(4.0)

Q [l/h]
(gph)



p₂

p₂ - p₁ ≥ 1 bar (15 psi)



p₁





100 - 240V,
50/60 Hz



Max.
1.5 m/59"

Min.
100 mm/4"




Min.
100 mm/4"






Max.
4 kg/8.8 lb






1a





2a






1b






Ø 5 mm (0.2")

2b











3



4












7




100 - 240V,
50/60 Hz



DDE-P / DDE-PR



≠ DDE-P





8

DDE-P / DDE-PR



DDE-P / DDE-PR



Min. 5 sec.



DDE-P / DDE-PR



Min. 5 sec.



DDE-P / DDE-PR





100%







DDE-B

100%











13

DDE-P / DDE-PR



DDE 6-10

approx. 0.81 ml / L



DDE 15-4

approx. 0.79 ml / L



approx. 0.16 ml / L



14




DDE-P / DDE-PR












DDE-P / DDE-PR







DDE-P / DDE-PR







4 Nm (2.95 lb/ft)



be think innovate

95725551 1216

ECM: 1198146

GRUNDFOS Holding A/S
Poul Due Jensens Vej 7
DK-8850 Bjerringbro
Tel: +45 87 50 14 00
www.grundfos.com

GRUNDFOS 

The name Grundfos, the Grundfos logo, and be think innovate
are registered trademarks owned by Grundfos Holding A/S
or Grundfos A/S, Denmark. All rights reserved worldwide.